


















PANEL 4IN1 600/1200








	EAN	lxwxh[mm]	W	V _{AC}	Hz	lm	lm/W	K
PL 4IN1 600 32W 830 WT	4058075699540	595 x 595 x 34	32	220-240	50/60	3600	112	3000
PL 4IN1 600 32W 840 WT	4058075699564	595 x 595 x 34	32	220-240	50/60	3600	112	4000
PL 4IN1 600 32W 865 WT	4058075699588	595 x 595 x 34	32	220-240	50/60	3600	112	6500
PL 4IN1 600 32W 830 UGR19 WT	4058075699601	595 x 595 x 34	32	220-240	50/60	3600	112	3000
PL 4IN1 600 32W 840 UGR19 WT	4058075699625	595 x 595 x 34	32	220-240	50/60	3600	112	4000
PL 4IN1 600 32W 865 UGR19 WT	4058075699649	595 x 595 x 34	32	220-240	50/60	3600	112	6500
PL 4IN1 1200 32W 830 WT	4058075699663	1195 x 295 x 34	32	220-240	50/60	3600	112	3000
PL 4IN1 1200 32W 840 WT	4058075699687	1195 x 295 x 34	32	220-240	50/60	3600	112	4000
PL 4IN1 1200 32W 865 WT	4058075699700	1195 x 295 x 34	32	220-240	50/60	3600	112	6500
PL 4IN1 1200 32W 830 UGR19 WT	4058075699724	1195 x 295 x 34	32	220-240	50/60	3600	112	3000
PL 4IN1 1200 32W 840 UGR19 WT	4058075699748	1195 x 295 x 34	32	220-240	50/60	3600	112	4000
PL 4IN1 1200 32W 865 UGR19 WT	4058075699762	1195 x 295 x 34	32	220-240	50/60	3600	112	6500

	EAN	IP	IK	▽	R _a	°(°C)	PF	⊞
PL 4IN1 600 32W 830 WT	4058075699540	20	02	120°	>80	-10...+50	>0.9	2.4kg
PL 4IN1 600 32W 840 WT	4058075699564	20	02	120°	>80	-10...+50	>0.9	2.4kg
PL 4IN1 600 32W 865 WT	4058075699588	20	02	120°	>80	-10...+50	>0.9	2.4kg
PL 4IN1 600 32W 830 UGR19 WT	4058075699601	20	02	90°	>80	-10...+50	>0.9	2.7kg
PL 4IN1 600 32W 840 UGR19 WT	4058075699625	20	02	90°	>80	-10...+50	>0.9	2.7kg
PL 4IN1 600 32W 865 UGR19 WT	4058075699649	20	02	90°	>80	-10...+50	>0.9	2.7kg
PL 4IN1 1200 32W 830 WT	4058075699663	20	02	120°	>80	-10...+50	>0.9	2.6kg
PL 4IN1 1200 32W 840 WT	4058075699687	20	02	120°	>80	-10...+50	>0.9	2.6kg
PL 4IN1 1200 32W 865 WT	4058075699700	20	02	120°	>80	-10...+50	>0.9	2.6kg
PL 4IN1 1200 32W 830 UGR19 WT	4058075699724	20	02	90°	>80	-10...+50	>0.9	2.9kg
PL 4IN1 1200 32W 840 UGR19 WT	4058075699748	20	02	90°	>80	-10...+50	>0.9	2.9kg
PL 4IN1 1200 32W 865 UGR19 WT	4058075699762	20	02	90°	>80	-10...+50	>0.9	2.9kg








RECESSED MOUNT CLIPS VALUE
EAN 4058075409859

Panel 600: 4x
 Panel 1200: 6x



Panel 600: 580mm
 Panel 1200: 280mm

Panel 600: 580mm
 Panel 1200: 1180mm

① ② ③



	B10	B16	B25	C10	C16	C25
PANEL 4IN1 32W	12	15	24	15	25	39



C10449057
 G11128513
 15.10.21



LEDVANCE GmbH
 Steinerne Furt 62
 86167 Augsburg, Germany
www.ledvance.com